

KINGO

15 SEATER VAN




EVERYTHING A BUSINESS NEEDS

Best In Value ■ Versatile & Practical ■ Dual Sliding Door ■ Powerful 3.0L CDTi Engine


THE MOST AFFORDABLE

15
SEATER
VAN

5 YEARS or
150,000KM
WARRANTY*
Whichever comes first



STYLING



DRIVING



INTERIOR



*Available for Kingo Full Spec Only

POWERTRAIN

GREEN DIESEL ENGINE

EURO III

DISPLACEMENT	3.0L
RATED OUTPUT (kW(HP)/rpm)	110 (148)/3400
MAX TORQUE (N.m/rpm)	370/2000
COMPRESSION RATIO	17.3:1




HIGH CAPACITY TURBO CHARGER

To achieve the maximum power & torque by lower engine capacity and hence improve fuel efficiency



**JAPANESE
TECHNOLOGY**
WITH
Exhaust Gas
Recirculation (EGR)

DK5 ENGINE



Speed Ratio	1st	2nd	3rd	4th	5th	Rev
	4.313	2.330	1.436	1.000	0.838	4.220

SAFETY



Head Collision Test



Rear Collision Test



Lateral Static Pressure




Rollover Test




Anti Lock Braking System

ABS Can protect the wheel being locked or slipped to ensure the valid braking under different ground conditions.



Electronic Brakeforce Distribution

EBD can detect automatically, the load of front and back wheels, rotation differences, or wheel locking by electronic means, and distribute ideal brake forces at proper time.



Monocoque Type Vehicle Body

- High-strength swaybars
- Buffer Beams

Our vehicle has gone through testings which complies with the US Regulation (FMVSS) & European (UNECE)

Specification

KINGO UTE
Standard Spec

KINGO
Full Spec

ENGINE		
Engine	DK5	
Engine Type	In Line 4 Cylinder Common Rail Turbocharged With Intercooler, EGR,Diesel Engine	
Bore x Stroke	96 x 103	
Emission Standard	Euro III	
Displacement (L)	2.982L	
Rated Output (kW(HP)/R.P.M)	110(148)/3400	
Max. Torque (N.M/R.P.M)	370/2000	
Compression Ratio	17.3:1	
Top Speed *	135 km/h	
Fuel Standard	Euro-III Diesel or Above	
Fuel Tank Capacity (L)	70 Litre	
DRIVING SYSTEM		
Transmission Type	Manual 5-Speed	
Gear Ratio	1st: 4.313, 2nd: 2.330, 3rd: 1.436, 4th: 1.000, 5th:0.838, Reverse: 4.220	
Clutch	Single Disc, Hydraulic Control	
Driving Type	Front Engine, Rear Drive	
Brake System	ABS+EBD, Intelligent Brake Assistance System Front Disc & Rear Drum	
Suspension	Front Transverse Double Wishbone Independent Suspension, Rear Variable Rate Leaf Spring	
TECHNICAL DIMENSION		
Overall LxWxH (mm)	5470 x 1885 x 2285	
Wheelbase (mm)	3110	
Ground Clearance (mm)	169	
Gross Vehicle Weight (kg)	3500	
Curb Weight (kg)*	2415	
Seating Capacity	15 Seats	
Tire	205R/15C	
Minimum Turning Radius (m)	12.2	
FEATURES AND ACCESSORIES		
Audio Systems	Display Audio With 7" Touch Screen LCD, MP3, USB, AUX & Bluetooth	
Stereo Speaker	2 pcs	6 pcs
Reverse Camera	●	●
Reverse Sensor	●	●
Cabin Light	●	●
Seat Material	Black PU & Lint	
Last Row Hanging Seat	●	●
Intermittent Front Wiper, Rear Wiper	●	●
Rear Windscreen with Demister	●	●
Tilttable Steering Wheel	●	●
Central Locking	●	●
Remote Control	-	●
Side Mirror with LED Turning Signal Lamp	●	●
Side Mirror Adjustment	Power	
High-Mounted 3rd Brake Lamp	●	●
Projection Headlamp with DRL	●	●
Front Fog Lamp	●	●
Wheel Size	15" Steel	15" Alloy
Air-Conditioner - Front	●	●
Air-Conditioner - Rear	6 Air Vents	
Rear Evaporator	Single	Double
Middle Console Box with 3 Cup Holder	-	●
Luxury PVC Roof Lining	●	●
PVC Floor Mat	●	●
Power Window - Driver & Co-driver	●	●
Anti-Glare Rear View Mirror	●	●
Seat Belt	●	●

*Data collected under testing conditions. The final results may differ due to different driving conditions, overall vehicle weight etc.



WHY CHOOSE KINGO VAN?

FACTORY BUS/SCHOOL BUS



22
MURID-MURID

SEMI PANEL VAN



CARRY
5 PEOPLE

MOBILE OFFICE



VERSATILE
SET UP

EXECUTIVE TRANSPORTER



COMFORTABLE
RIDE & AMPLE
LUGGAGE SPACE

AMBULANCE



TALL &
WIDE
INTERIOR

HEARSE VAN



MUSLIM
HEARSE
VAN

VIP LIMOUSINE




LUXURY
INTERIOR

WHEELCHAIR LIFT




AUTOMATED
WHEELCHAIR
LIFT

DIMENSION



SEATING LAYOUT



15 Seats (2+3+3+3+4)



C.A.M
CONSISTENT | ACTIVE | MOBILE

R&A MARKETING SDN BHD
Sole Distributor of King Long Minivan

Sendok Group Building, Lot 1564, Batu 4, 42100 Klang, Selangor Darul Ehsan, Malaysia.
Email: info@sendokgroup.com Tel: +603-3345 5600 Fax: +03-3291 9658

Find us on **CAM Malaysia** | www.cammalaysia.com.my

A Member Of **Sendok Group**

Disclaimer: All features & specification shown in this brochure is subject to change without prior notice and may vary according to locality. The color(s) of the vehicle(s) and interior shown here in may slightly differ from actual vehicle.

Branch & Dealer Chop